Author Index

Abbas, P.J. and Brown, C.J.
Electrically evoked auditory brainstem response: Growth of response with current level (51) 123
Abbas, P.J. and Brown, C.J.
Electrically evoked auditory brainstem response: Refractory properties and strength-duration functions (51) 139
Altschuler, R.A., see Raphael, Y. (51) 173
Anafi, R., see Hildesheimer, M. (51) 161
Ashmore, J.F., see Rennie, K.J. (51) 279
Avinash, G., see Nuttall, A.L. (51) 203

Bargones, J.Y., see Norton, S.J. (51) 73
Benson, C.G., see Saint Marie, R.L. (51) 11
Berlin, C.I., see Bobbin, R.P. (51) 231
Blazer, S., see Hafner, H. (51) 33
Bobbin, R.P., Fallon, M., Li, L. and Berlin, C.I.
Guinea pigs show post-natal stability in frequency mapping at the basal turn (51) 231
Brown, C.J., see Abbas, P.J. (51) 123
Brown, C.J., see Abbas, P.J. (51) 139

Carlile, S.
The auditory periphery of the ferret: Postnatal development of acoustic properties (51) 265
Chabert, R., see Puel, J.-L. (51) 255
Chambers, R.D. and Griffiths, S.K.
Effects of age on the adult auditory middle latency response (51) 1

Decraemer, W.F., Dirckx, J.J.J. and Funnell, W.R.J.
Shape and derived geometrical parameters of the adult, human tympanic membrane measured with a phase-shift moiré interferometer (51) 107
Decraemer, W.F., see Dirckx, J.J.J. (51) 93
Dirckx, J.J.J. and Decraemer, W.F.
Human tympanic membrane deformation under static pressure (51) 93
Dirckx, J.J.J., see Decraemer, W.F. (51) 107
Dolan, D.F., see Nuttall, A.L. (51) 203
Dolan, D.F., see Nuttall, A.L. (51) 235

Eybalin, M., see Puel, J.-L. (51) 255

Fallon, M., see Bobbin, R.P. (51) 231
Feinsod, M., see Hafner, H. (51) 33
Funnell, W.R.J., see Decraemer, W.F. (51) 107

Griffiths, S.K., see Chambers, R.D. (51) 1

Hafner, H., Pratt, H., Joachims, Z., Feinsod, M. and Blazer, S.
Development of auditory brainstem evoked potentials in newborn infants: A three-channel Lissajous' trajectory study (51) 33
Henkin, Y., see Hildesheimer, M. (51) 161
Hildesheimer, M., Henkin, Y., Muchnik, C., Anafi, R., Sahartov, E. and Rubinstein, M.
Sedation effect on temporary threshold shift induced by acoustic overstimulation (51) 161
Hildesheimer, M., Sharon, R., Muchnik, C., Sahartov, E. and Rubinstein, M.
The effect of bilateral sympathectomy on noise induced temporary threshold shift (51) 49

Ikeda, K. and Morizono, T.
Ionic activities of the inner ear fluid and ionic permeabilities of the cochlear duct in endolymphatic hydrops of the guinea pig (51) 185

Joachims, Z., see Hafner, H. (51) 33

Kaltenbach, J.A. and Lazor, J.
Tonotopic maps obtained from the surface of the dorsal cochlear nucleus of the hamster and rat (51) 149

Ladrech, S., see Puel, J.-L. (51) 255
Lazor, J., see Kaltenbach, J.A. (51) 149
Li, L., see Bobbin, R.P. (51) 231
Lippe, W.R.
Reduction and recovery of neuronal size in the cochlear nucleus of the chicken following aminoglycoside intoxication (51) 193
Lonsbury-Martin, B.L., see Whitehead, M.L. (51) 293
Lonsbury-Martin, B.L., see Whitehead, M.L. (51) 55

Martin, G.K., see Whitehead, M.L. (51) 293
Martin, G.K., see Whitehead, M.L. (51) 55
Morest, D.K., see Saint Marie, R.L. (51) 11
Morizono, T., see Ikeda, K. (51) 185
Muchnik, C., see Hildesheimer, M. (51) 161
Muchnik, C., see Hildesheimer, M. (51) 49
Müller, M.
Frequency representation in the rat cochlea (51) 247

Norton, S.J., Bargones, J.Y. and Rubel, E.W.
Development of otoacoustic emissions in gerbil: Evidence for micromechanical changes underlying development of the place code (51) 73

Nuttall, A.L. and Dolan, D.F.
Cochlear microphonic enhancement in two tone interactions (51) 235
Nuttall, A.L., Dolan, D.F. and Avinash, G.
Laser Doppler velocimetry of basilar membrane vibration (51) 203

Ostapoff, E.-M., see Saint Marie, R.L. (51) 11

Pratt, H., see Hafner, H. (51) 33
Puel, J.-L., Ladrech, S., Chabert, R., Pujol, R. and Eybalin, M.
Electrophysiological evidence for the presence of NMDA receptors in the guinea pig cochlea (51) 255
Pujol, R., see Puel, J.-L. (51) 255

Raphael, Y. and Altschuler, R.A.
Scar formation after drug-induced cochlear insult (51) 173
Rennie, K.J. and Ashmore, J.F.
Ionic currents in isolated vestibular hair cells from the guinea-pig crista ampullaris (51) 279
Rich, N.C., see Ruggero, M.A. (51) 215
Robertson, D. and Wilson, S.A.
Changes in cochlear sensitivity do not alter relative thresholds of different spontaneous rate categories of primary auditory nerve fibres (51) 29
Rubel, E.W., see Norton, S.J. (51) 73
Rubinstein, M., see Hildesheimer, M. (51) 161
Rubinstein, M., see Hildesheimer, M. (51) 49
Ruggero, M.A. and Rich, N.C.
Application of a commercially-manufactured Doppler-shift laser velocimeter to the measurement of basilar-membrane vibration (51) 215

Sahartov, E., see Hildesheimer, M. (51) 161
Sahartov, E., see Hildesheimer, M. (51) 49
Saint Marie, R.L., Benson, C.G., Ostapoff, E.-M. and Morest, D.K.
Glycine immunoreactive projections from the dorsal to the anteroventral cochlear nucleus (51) 11
Seaman, R.L.
Method to record evoked potentials from the frog eighth nerve (51) 301
Sharon, R., see Hildesheimer, M. (51) 49

Whitehead, M.L., Lonsbury-Martin, B.L. and Martin, G.K.
Slow variation of the amplitude of acoustic distortion at f_2–f_1 in awake rabbits (51) 293
Whitehead, M.L., Martin, G.K. and Lonsbury-Martin, B.L.
Effects of the crossed acoustic reflex on distortion-product otoacoustic emissions in awake rabbits (51) 55
Wilson, S.A., see Robertson, D. (51) 29

Subject Index

Acoustic distortion products
Auditory development; Place code; Cochlear mechanics; Gerbil (Norton, S.J. (51) 73)

Acoustics
External ear; Pinna; Development; Sound localization; Ferret (Carlile, S. (51) 265)

Actin
Ototoxicity; Phalangeal scar; Cytokeratins (Raphael, Y. (51) 173)

Active process
Guinea pig; Two tone suppression; Physiological vulnerability; Phase effects; Vector cancellation (Nuttall, A.L. (51) 235)

Age-related
Auditory evoked response; Middle latency response (Chambers, R.D. (51) 1)

Aminoglycoside
Nucleus magnocellularis; Regeneration; Hair cell; Cochlear nucleus; Neuron area (Lippe, W.R. (51) 193)

2-Amino-5-phosphonovalerate
N-methyl-D-aspartate; Hair cell transmission; Glutamatergic receptors; Cochlear potentials; Guinea pig (Puel, J.-L. (51) 255)

Anoxia
Endolymphatic hydrops; Inner ear fluid; Ion concentration; Ion permeability; Endocochlear potential (Ikeda, K. (51) 185)

Auditory
Evoked potential; Eighth nerve; Frog (Seaman, R.L. (51) 301)

Auditory brainstem evoked potentials
Newborns; 3CLT (Hafner, H. (51) 33)

Auditory development
Acoustic distortion products; Place code; Cochlear mechanics; Gerbil (Norton, S.J. (51) 73)

Auditory evoked response
Middle latency response; Age-related (Chambers, R.D. (51) 1)

Auditory pathways
Cochlear nucleus; Glycine; GABA; Immunocytochemistry; Guinea pig; Horseradish peroxidase (Saint Marie, R.L. (51) 11)

Basilar membrane
Laser Doppler-shift velocimetry; Laser vibrometry; Laser heterodyne interferometry; Cochlear mechanics (Ruggero, M.A. (51) 215)

CAP threshold
Single unit; CF threshold; Spontaneous rate; Pathology (Robertson, D. (51) 29)

CF threshold
Single unit; CAP threshold; Spontaneous rate; Pathology (Robertson, D. (51) 29)

Chronaxie
EABR; Refraction (Abbas, P.J. (51) 139)

3CLT
Newborns; Auditory brainstem evoked potentials (Hafner, H. (51) 33)

Cochlea
Development; Cochlear microphonic; Guinea pig (Bobbin, R.P. (51) 231)

Place-frequency map; Rat; HRP (Müller, M. (51) 247)

Cochlear implant
Electrical stimulation; EABR (Abbas, P.J. (51) 123)

Cochlear mechanics
Acoustic distortion products; Auditory development; Place code; Gerbil (Norton, S.J. (51) 73)

Laser Doppler-shift velocimetry; Laser vibrometry; Laser heterodyne interferometry; Basilar membrane (Ruggero, M.A. (51) 215)

Cochlear microphonic
Cochlea; Development; Guinea pig (Bobbin, R.P. (51) 231)

Cochlear nucleus
Glycine; GABA; Immunocytochemistry; Guinea pig; Auditory pathways; Horseradish peroxidase (Saint Marie, R.L. (51) 11)

Nucleus magnocellularis; Regeneration; Hair cell; Aminoglycoside; Neuron area (Lippe, W.R. (51) 193)

Cochlear potentials
N-methyl-D-aspartate; 2-Amino-5-phosphonovalerate; Hair cell transmission; Glutamatergic receptors; Guinea pig (Puel, J.-L. (51) 255)

Comparative study
Tonotopic mapping; Rat; Hamster; Dorsal cochlear nucleus; Development (Kaltenbach, J.A. (51) 149)

Contralateral acoustic stimuli
Distortion-product otoacoustic emissions; Olivocochlear efferents; Crossed acoustic middle-ear reflex (Whitehead, M.L. (51) 55)

Crossed acoustic middle-ear reflex
Distortion-product otoacoustic emissions; Contralateral acoustic stimuli; Olivocochlear efferents (Whitehead, M.L. (51) 55)

Cytokeratins
Ototoxicity; Phalangeal scar; Actin (Raphael, Y. (51) 173)

Development
Tonotopic mapping; Rat; Hamster; Dorsal cochlear nucleus; Comparative study (Kaltenbach, J.A. (51) 149)

Cochlea; Cochlear microphonic; Guinea pig (Bobbin, R.P. (51) 231)

External ear; Pinna; Acoustics; Sound localization; Ferret (Carlile, S. (51) 265)

Distortion-product otoacoustic emissions
Contralateral acoustic stimuli; Olivocochlear efferents; Crossed acoustic middle-ear reflex (Whitehead, M.L. (51) 55)

Olivocochlear efferents; Rabbit (Whitehead, M.L. (51) 293)

Dorsal cochlear nucleus
Tonotopic mapping; Rat; Hamster; Comparative study; Development (Kaltenbach, J.A. (51) 149)

EABR
Electrical stimulation; Cochlear implant (Abbas, P.J. (51) 123)

Refraction; Chronaxie (Abbas, P.J. (51) 139)

Eardrum
Human; Static pressure (Dirckx, J.J.J. (51) 93)

Eighth nerve
Auditory; Evoked potential; Frog (Seaman, R.L. (51) 301)

Electrical stimulation
Cochlear implant; EABR (Abbas, P.J. (51) 123)

Endocochlear potential
Endolymphatic hydrops; Inner ear fluid; Ion concentration; Ion permeability; Anoxia (Ikeda, K. (51) 185)

Endolymphatic hydrops
Inner ear fluid; Ion concentration; Ion permeability; Anoxia; Endocochlear potential (Ikeda, K. (51) 185)

Evoked potential
Auditory; Eighth nerve; Frog (Seaman, R.L. (51) 301)

External ear
Pinna; Acoustics; Development; Sound localization; Ferret (Carlile, S. (51) 265)

Ferret
External ear; Pinna; Acoustics; Development; Sound localization (Carlile, S. (51) 265)

Frog
Auditory; Evoked potential; Eighth nerve (Seaman, R.L. (51) 301)

GABA
Cochlear nucleus; Glycine; Immunocytochemistry; Guinea pig; Auditory pathways; Horseradish peroxidase (Saint Marie, R.L. (51) 11)

Gerbil
Acoustic distortion products; Auditory development; Place code; Cochlear mechanics (Norton, S.J. (51) 73)

Glutamatergic receptors
N-methyl-D-aspartate; 2-Amino-5-phosphonovalerate; Hair cell transmission; Cochlear potentials; Guinea pig (Puel, J.-L. (51) 255)

Glycine
Cochlear nucleus; GABA; Immunocytochemistry; Guinea pig; Auditory pathways; Horseradish peroxidase (Saint Marie, R.L. (51) 11)

Guinea pig
Cochlear nucleus; Glycine; GABA; Immunocytochemistry; Auditory pathways; Horseradish peroxidase (Saint Marie, R.L. (51) 11)

Tuning curves; Laser Doppler vibrometry; Microscopy (Nuttall, A.L. (51) 203)

Cochlea; Development; Cochlear microphonic (Bobbin, R.P. (51) 231)

Two tone suppression; Active process; Physiological vulnerability; Phase effects; Vector cancellation (Nuttall, A.L. (51) 235)

N-methyl-D-aspartate; 2-Amino-5-phosphonovalerate; Hair cell transmission; Glutamatergic receptors; Cochlear potentials (Puel, J.-L. (51) 255)

Hair cell
Nucleus magnocellularis; Regeneration; Aminoglycoside; Cochlear nucleus; Neuron area (Lippe, W.R. (51) 193)

Vestibular system; Patch clamp; Potassium currents (Rennie, K.J. (51) 279)

Hair cell transmission
N-methyl-D-aspartate; 2-Amino-5-phosphonovalerate; Glutamatergic receptors; Cochlear potentials; Guinea pig (Puel, J.-L. (51) 255)

Hamster
Tonotopic mapping; Rat; Dorsal cochlear nucleus; Comparative study; Development (Kaltenbach, J.A. (51) 149)

Horseradish peroxidase
Cochlear nucleus; Glycine; GABA; Immunocytochemistry; Guinea pig; Auditory pathways (Saint Marie, R.L. (51) 11)

HRP
Cochlea; Place-frequency map; Rat (Müller, M. (51) 247)

Human
Eardrum; Static pressure (Dirckx, J.J.J. (51) 93)

Tympanic membrane; Shape; Moiré interferometer (Decraemer, W.F. (51) 107)

Immunocytochemistry
Cochlear nucleus; Glycine; GABA; Guinea pig; Auditory pathways; Horseradish peroxidase (Saint Marie, R.L. (51) 11)

Inner ear fluid
Endolymphatic hydrops; Ion concentration; Ion permeability; Anoxia; Endocochlear potential (Ikeda, K. (51) 185)

Ion concentration
Endolymphatic hydrops; Inner ear fluid; Ion permeability; Anoxia; Endocochlear potential (Ikeda, K. (51) 185)

Ion permeability
Endolymphatic hydrops; Inner ear fluid; Ion concentration; Anoxia; Endocochlear potential (Ikeda, K. (51) 185)

Laser Doppler-shift velocimetry
Laser vibrometry; Laser heterodyne interferometry; Basilar membrane; Cochlear mechanics (Ruggero, M.A. (51) 215)

Laser Doppler vibrometry
Guinea pig; Tuning curves; Microscopy (Nuttall, A.L. (51) 203)

Laser heterodyne interferometry
Laser Doppler-shift velocimetry; Laser vibrometry; Basilar membrane; Cochlear mechanics (Ruggero, M.A. (51) 215)

Laser vibrometry
Laser Doppler-shift velocimetry; Laser heterodyne interferometry; Basilar membrane; Cochlear mechanics (Ruggero, M.A. (51) 215)

Microscopy
Guinea pig; Tuning curves; Laser Doppler vibrometry (Nuttall, A.L. (51) 203)

Middle latency response
Auditory evoked response; Age-related (Chambers, R.D. (51) 1)

Moiré interferometer
Tympanic membrane; Human; Shape (Decraemer, W.F. (51) 107)

Neuron area
Nucleus magnocellularis; Regeneration; Hair cell; Aminoglycoside; Cochlear nucleus (Lippe, W.R. (51) 193)

Newborns
Auditory brainstem evoked potentials; 3CLT (Hafner, H. (51) 33)

***N*-methyl-D-aspartate**
2-Amino-5-phosphonovalerate; Hair cell transmission; Glutamatergic receptors; Cochlear potentials; Guinea pig (Puel, J.-L. (51) 255)

Noise
Temporary threshold shift; Sympathetic innervation (Hildesheimer, M. (51) 49)

Nucleus magnocellularis
Regeneration; Hair cell; Aminoglycoside; Cochlear nucleus; Neuron area (Lippe, W.R. (51) 193)

Olivocochlear efferents
Distortion-product otoacoustic emissions; Contralateral acoustic stimuli; Crossed acoustic middle-ear reflex (Whitehead, M.L. (51) 55)

Distortion-product otoacoustic emissions; Rabbit (Whitehead, M.L. (51) 293)

Ototoxicity
Phalangeal scar; Actin; Cytokeratins (Raphael, Y. (51) 173)

Patch clamp
Hair cell; Vestibular system; Potassium currents (Rennie, K.J. (51) 279)

Pathology
Single unit; CF threshold; CAP threshold; Spontaneous rate (Robertson, D. (51) 29)

Phalangeal scar
Ototoxicity; Actin; Cytokeratins (Raphael, Y. (51) 173)

Phase effects
Guinea pig; Two tone suppression; Active process; Physiological vulnerability; Vector cancellation (Nuttall, A.L. (51) 235)

Physiological vulnerability
Guinea pig; Two tone suppression; Active process; Phase effects; Vector cancellation (Nuttall, A.L. (51) 235)

Pinna
External ear; Acoustics; Development; Sound localization; Ferret (Carlile, S. (51) 265)

Place code
Acoustic distortion products; Auditory development; Cochlear mechanics; Gerbil (Norton, S.J. (51) 73)

Place-frequency map
Cochlea; Rat; HRP (Müller, M. (51) 247)

Potassium currents
Hair cell; Vestibular system; Patch clamp (Rennie, K.J. (51) 279)

Rabbit
Distortion-product otoacoustic emissions; Olivocochlear efferents (Whitehead, M.L. (51) 293)

Rat
Tonotopic mapping; Hamster; Dorsal cochlear nucleus; Comparative study; Development (Kaltenbach, J.A. (51) 149)

Cochlea; Place-frequency map; HRP (Müller, M. (51) 247)

Refraction
EABR; Chronaxie (Abbas, P.J. (51) 139)

Regeneration
Nucleus magnocellularis; Hair cell; Aminoglycoside; Cochlear nucleus; Neuron area (Lippe, W.R. (51) 193)

Sedation
Temperature; Temporary threshold shift (Hildesheimer, M. (51) 161)

Shape
Tympanic membrane; Human; Moiré interferometer (Decraemer, W.F. (51) 107)

Single unit
CF threshold; CAP threshold; Spontaneous rate; Pathology (Robertson, D. (51) 29)

Sound localization
External ear; Pinna; Acoustics; Development; Ferret (Carlile, S. (51) 265)

Spontaneous rate
Single unit; CF threshold; CAP threshold; Pathology (Robertson, D. (51) 29)

Static pressure
Eardrum; Human (Dirckx, J.J.J. (51) 93)

Sympathetic innervation
Temporary threshold shift; Noise (Hildesheimer, M. (51) 49)

Temperature
Sedation; Temporary threshold shift (Hildesheimer, M. (51) 161)

Temporary threshold shift
Sympathetic innervation; Noise (Hildesheimer, M. (51) 49)

Sedation; Temperature (Hildesheimer, M. (51) 161)

Tonotopic mapping
Rat; Hamster; Dorsal cochlear nucleus; Comparative study; Development (Kaltenbach, J.A. (51) 149)

Tuning curves
Guinea pig; Laser Doppler vibrometry; Microscopy (Nuttall, A.L. (51) 203)

Two tone suppression
Guinea pig; Active process; Physiological vulnerability; Phase effects; Vector cancellation (Nuttall, A.L. (51) 235)

Tympanic membrane
Human; Shape; Moiré interferometer (Decraemer, W.F. (51) 107)

Vector cancellation
Guinea pig; Two tone suppression; Active process; Physiological vulnerability; Phase effects (Nuttall, A.L. (51) 235)

Vestibular system
Hair cell; Patch clamp; Potassium currents (Rennie, K.J. (51) 279)